Thermacore[®] COLLECTION



Premium insulated garage doors deliver maximum thermal efficiency and design flexibility.

The Genuine. The Original.





Image above: Model 194 8' high, Standard panel, White finish, Stockton 1 windows Cover image: Model 195 7' high, Flush panel, Terra Bronze finish, vertical Clear Long windows

The Thermacore® Collection keeps design in mind and adds comfort to your home by providing protection from air infiltration and temperature changes.

Model 198 8' high, Long panel, custom finish, Williamsburg 2 windows




Thermacore[®] Collection

Door Designs

Select your door panel style and color





Doors shown above are 7' tall. The number of sections on 8' doors may vary.

Models	295(L) 296(V5) 297(S) 298(F)	192(V10) 194(S) 195(F) 198(L) 199(V5)	494(S) 495(F) 496(L) 497(V5)
Polyurethane insulation	•	•	•
R-value*	9.31	12.76	17.5
Steel backing	•	•	•
Warranty	20-year limited	Limited lifetime	Limited lifetime

* R-value is a measure of thermal efficiency. The higher the R-value the greater the insulating properties of the door. Overhead Door uses a calculated door section R-value for our insulated doors.

2

Choose a color:

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Distributor for accurate color matching. To custom paint your door see instructions in the owner's manual.



**Available in 190 and 490 series only.

Golden Oak

Walnut

Mission Oak


Thermacore[®] Collection Decorative Accents

Customize your door with color and windows



Choose a window style:

Available on Standard, Flush and V5 panels



Thermacore[®] Collection Decorative Accents

Customize your door with windows

Carriage style window trim. Available on models 194 and 195 only

	1 1	








Wyndbridge Arch

Optional window placement:

Vertical window option



All window option (Flush panel only)








Image above: Model 195, Flush panel, double car, Gray finish, Clear Long windows

Windows may be arranged vertically or horizontally on the models found in the 190 and 490 series. Windows must be Clear Short or Clear Long. Windows placed in the bottom section of a door must have DSB 1/8", or tempered, or 1/2" insulated glass.

Choose a glass type:

All windows come standard with double strength glass. In addition, the Thermacore® Collection offers an array of choices, including:

- Insulated glass thermal efficiency*
 Tempered glass enhanced safety
- High velocity impact glass security option
- Obscure glass light infiltration with privacy
- Clear Lexan[®] shatter resistent
- Solar bronze UV protection
 - 1/2" insulated obscure glass for 190/490 series

* Not available on 290 series.



Clear



Obscure



Bronze Tint

Actual glass may vary from brochure photos due to fluctuations in the printing process. Check with your Overhead Door™ Distributor to view a glass sample.

Thermacore[®] Collection Decorative Accents

Customize your door with ornamental hardware

Choose your hardware:







Bean Handle

Large Spear Handle

Small Spear Handle






Model 192 7' high, V10 panel, Mission Oak finish with Clear Long windows



Choose your opener:



Be sure to ask about our complete line of Overhead Door[®] garage door openers. Powerful, quiet and durable, these garage door openers are designed for performance, safety and convenience. Your Overhead Door Distributor[™] will help you choose the opener that best suits your door and preferences.



The Thermacore® Collection steel garage doors feature premium insulation construction and design which provides maximum thermal efficiency and reduced air infiltration for your garage space. This durable line of garage doors gives you many years of reliable operation while

providing comfort to your home, even in extreme climates.

Built better from the inside out



Model 199 7' high, V5 panel, Walnut finish



Durable finish Hot-dipped galvanized steel with two coats of baked-on polyester paint.



Bulb-type bottom weatherseal Guards against wind and rain while providing a cushion when closing.

Thermacore® construction Provides a continuous layer of foamed-in-place, CFCfree polyurethane insulation sandwiched between two layers of corrosion-resistant steel, for maximum thermal efficiency.

Embossed wood-grain texture Adds beauty, sophistication and durability


In-between section thermal seals With an air infiltration rating of up to 0.08 cfm, seals provide superior resistance to the elements.

Backing

Interior-side steel backing, standard on Thermacore® products, provides strength and a finished, clean appearance.

Our WindStorm[™] wind load-rated system

Available on select products to meet regulations for a variety of wind speeds, including hurricane-force winds, and meet the most stringent local building codes.







Transform Your Home with the DoorView® visualization tool.

Go to **overheaddoor.com** to try our on-line interactive software tool that lets you visualize what your home would look like with a Overhead Door[™] garage door. Contact your local Overhead Door[™] Distributor for more information and to receive a quote.







Limited Warranty.

Thermacore[®] Collection garage doors are backed by up to a limited lifetime non-transferable warranty.* * Warranties vary by model, and are available upon request. See full text of warranty for details.

The Genuine. The Original.

Since 1921, Overhead Door Corporation has not only raised the standards of excellence for the industry – we've created them. We created the first upward-acting door in 1921 and the first electric garage door opener in 1926.

Today, our network of over 400 Overhead Door[™] Distributors are still leading the way with innovative solutions and unmatched installation, service and support. So look for the Red Ribbon. It's your guarantee that you're getting the genuine, the original Overhead Door[™] products and services.

SOLD AND DISTRIBUTED BY:







2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067 1-800-929-DOOR • sales@overheaddoor.com overheaddoor.com

©2018 Overhead Door Corporation. Overhead Door is a trademark and Thermacore and the Red Ribbon Logo are registered trademarks of Overhead Door Corporation. All other trademarks are the property of their rightful owners. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. R900-689 05/18